

## Oral and Maxillofacial Surgery

1. Ohsako T, Shimamoto H, Tomioka H, Hirai H, Kuroshima T, Mochizuki Y, Kugimoto T, Tsushima F, Nakamura S, Kurabayashi T, **Harada H**. Detection of extraoral primary cancers by positron emission tomography/computed tomography in patients with oral squamous cell carcinoma. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 129(3):272-276, 2020.
2. Yokokawa M, Morita KI, Oikawa Y, Kayamori K, Sakamoto K, Ikeda T, **Harada H**. Co-expression of EGFR and MET has a synergistic effect on the prognosis of patients with oral squamous cell carcinoma. *J Oral Pathol Med.* 49(3):235-242, 2020.
3. Nojima H, Homma H, Onozato Y, Kaida A, **Harada H**, Miura M. Differential properties of mitosis-associated events following CHK1 and WEE1 inhibitor treatments in human tongue carcinoma cells. *Exp Cell Res.* 386(2):111720, 2020.
4. Takagawa Y, Gen Y, Muramatsu T, Tanimoto K, Inoue J, **Harada H**, Inazawa J. miR-1293, a Candidate for miRNA-Based Cancer Therapeutics, Simultaneously Targets BRD4 and the DNA Repair Pathway. *Mol Ther.* 28(6):1494-1505, 2020.
5. Kagifuku Y, Tohara H, Wakasugi Y, Susa C, Nakane A, Toyoshima M, Nakakuki K, Kabasawa Y, **Harada H**, Minakuchi S. What Factors Affect Changes in Body Composition and Swallowing Function in Patients Hospitalized for Oral Cancer Surgery? *Clin Interv Aging.* 15:1-7, 2020.
6. Kinoshita N, Sasaki Y, Marukawa E, Hirose R, Sawada SI, **Harada H**, Akiyoshi K. Crosslinked nanogel-based porous hydrogel as a functional scaffold for tongue muscle regeneration. *J Biomater Sci Polym Ed.* 31(10):1254-1271, 2020.
7. Kaneko A, Marukawa E, **Harada H**. Hydroxyapatite Nanoparticles as Injectable Bone Substitute Material in a Vertical Bone Augmentation Model. *In Vivo.* 34(3):1053-1061, 2020.
8. Takei J, Kaneko MK, Ohishi T, Kawada M, **Harada H**, Kato Y. H 2 Mab-19, an anti-human epidermal growth factor receptor 2 monoclonal antibody exerts antitumor activity in mouse oral cancer xenografts. *Exp Ther Med.* 20(2):846-853, 2020.
9. Hirai H, Ohsako T, Kugimoto T, Tomioka H, Michi Y, Kayamori K, Yoda T, Miura M, Yoshimura R, **Harada H**. Comparison of 50- and 66-Gy total irradiation doses for postoperative cervical treatment of patients with oral squamous cell carcinoma. *Oral Oncol.* 107:104708, 2020.
10. Takei J, Kaneko MK, Ohishi T, Kawada M, **Harada H**, Kato Y. A novel anti-EGFR monoclonal antibody (EMab-17) exerts antitumor activity against oral squamous cell carcinomas via antibody-dependent cellular cytotoxicity and complement-dependent cytotoxicity. *Oncol Lett.* 19(4):2809-2816, 2020

11. Takei J, Ohishi T, Kaneko MK, Harada H, Kawada M, Kato Y. A defucosylated anti-PD-L1 monoclonal antibody 13-mG 2a-f exerts antitumor effects in mouse xenograft models of oral squamous cell carcinoma. *Biochem Biophys Rep.* 24:100801, 2020.
12. Kashima Y, Nishii N, Tachinami H, Furusawa E, Nagai S, Harada H, Azuma M. Orthotopic tongue squamous cell carcinoma (SCC) model exhibiting a different tumor-infiltrating T-cell status with margin-restricted CD8 + T cells and regulatory T cell-dominance, compared to skin SCC. *Biochem Biophys Res Commun.* 526(1):218-224, 2020.
13. Hosono H, Takei J, Ohishi T, Sano M, Asano T, Sayama Y, Nakamura T, Yanaka M, Kawada M, Harada H, Kaneko MK, Kato Y. Anti EGFR monoclonal antibody 134 mG2a exerts antitumor effects in mouse xenograft models of oral squamous cell carcinoma. *Int J Mol Med.* 10, 2020.
14. Shimamoto H, Hirota Y, Kashima Y, Kinoshita N, Yokokawa M, Ikeda T, Harada H. Granulocyte colony-stimulating factor-producing squamous cell carcinoma of the tongue exhibiting characteristic fluorine-18 deoxyglucose accumulation on positron emission tomography-computed tomography: A case report. *World J Clin Cases.* 8(9):1666-1673, 2020.
15. Fukuda S, Akiyama M, Harada H, Nakahama KI. Effect of gap junction-mediated intercellular communication on TGF- $\beta$  induced epithelial-to-mesenchymal transition. *Biochem Biophys Res Commun.* 508(3): 928-933, 2019.
16. Takada K, Kuroshima T, Shimamoto H, Ohsako T, Kayamori K, Ikeda T, Harada H. Metastasis of lower gingival squamous cell carcinoma to buccinator lymph node: case report and review of the literature. *World J Surg Oncol.* 17(1): 13, 2019.
17. Sato K, Shimamoto H, Mochizuki Y, Hirai H, Tomioka H, Shimizu R, Marukawa E, Fukayama H, Yoshimura R, Ishida H, Harada H. Treatment of oral cancers during pregnancy: a case-based discussion. *J Otolaryngol Head Neck Surg.* 48(1): 9, 2019.
18. Furusawa Y, Yamada S, Itai S, Namamura T, Yanaka M, Sano M, Harada H, Fukui M, Kaneko M, Kato Y. PMab-219: A monoclonal antibody for the immunohistochemical analysis of horse podoplanin. *Biochem Biophys Rep.* 18: 100616, 2019.
19. Furusawa Y, Yamada S, Itai S, Sano M, Nakamura T, Yanaka M, Fukui M, Harada H, Mizuno T, Sakai Y, Takasu M, Kaneko M, Kato Y. P-Mab-210: A Monoclonal Antibody Against Pig Podoplanin. *Monoclon Antib Immunodiagn Immunother.* 38(1): 30-36, 2019.
20. Tachinami H, Nishii N, Xia Y, Kashima Y, Ohno T, Nagai S, Li L, Lau W, Tomihara K, Noguchi M, Azuma M. Differences of tumor-recruiting myeloid cells in murine

squamous cell carcinoma influence the efficacy of immunotherapy combined with a TLR7 agonist and PD-L1 blockade. *Oral Oncol.* 91: 21-28, 2019.

21. Tomioka H, Mochizuki Y, Ohsako T, Hirai H, Shimamoto H, **Harada H**. Buccinator and mandibular node metastases in oral squamous cell carcinoma. *J Oral Maxillofac Surg.* 77(4): 867-873, 2019.
22. Kaneko MK, Furusawa Y, Sano M, Itai S, Takei J, **Harada H**, Fukui M, Yamada S, Kato Y. Epitope mapping of the antihorse podoplanin monoclonal antibody PMab-202. *Monoclon Antib Immunodiagn Immunother.* 38(2): 79-84, 2019.
23. Furusawa Y, Kaneko MK, Nakamura T, Itai S, Fukui M, **Harada H**, Yamada S, Kato Y. Establishment of a monoclonal antibody PMab-231 for tiger podoplanin. *Monoclon Antib Immunodiagn Immunother.* 38(2): 89-95, 2019.
24. Yamada S, Kaneko MK, Furusawa Y, Itai S, Sano M, Nakamura T, Yanaka M, Handa S, Hisamatsu K, Nakamura Y, Koyanagi M, Fukui M, **Harada H**, Kato Y. Anti-Bovine Podoplanin Monoclonal Antibody PMab-44 Detects Goat Podoplanin in Immunohistochemistry. *Monoclon Antib Immunodiagn Immunother.* 38(2): 96-99, 2019.
25. Okuyama K, Fukushima H, Naruse T, Yanamoto S, Tsuchihashi H, Umeda M. CD44 Variant 6 Expression and Tumor Budding in the Medullary Invasion Front of Mandibular Gingival Squamous Cell Carcinoma Are Predictive Factors for Cervical Lymph Node Metastasis. *Pathol Oncol Res.* 25(2):603-609, 2019.
26. Furusawa Y, Yamada S, Itai S, Nakamura T, Takei J, Sano M, **Harada H**, Fukui M, Kaneko MK, Kato Y. Establishment of a monoclonal antibody PMab-233 for immunohistochemical analysis against Tasmanian devil podoplanin. *Biochem Biophys Rep.* 18:100631, 2019.
27. Kato Y, Furusawa Y, Yamada S, Itai S, Takei J, Sano M, Kaneko MK. Establishment of a monoclonal antibody PMab-225 against alpaca podoplanin for immunohistochemical analyses. *Biochem Biophys Rep.* 18: 100633, 2019.
28. Oshibe N, Marukawa E, Yoda T, **Harada H**. Degradation and interaction with bone of magnesium alloy WE43 implants: A long-term follow-up in vivo rat tibia study. *J Biomater Appl.* 33(9): 1157-1167, 2019.
29. Furusawa Y, Takei J, Sayama Y, Yamada S, Kaneko MK, Kato Y. Development of an anti-bear podoplanin monoclonal antibody PMab-247 for immunohistochemical analysis. *Biochem Biophys Rep.* 18: 100644, 2019.
30. Minegishi S, Ohtani S, Noritake K, Funakoshi T, Ishii N, Utsuno H, Sakuma A, Saitoh H, Yamaguchi S, Marukawa E, **Harada H**, Uemura K, Sakurada K. Preparation of dentin standard samples for age estimation based on increased aspartic

acid racemization rate by heating. *Leg Med (Tokyo)*. 38: 25-31, 2019.

31. Suzuki N, Kurabayashi A, Sakamoto K, Sakamoto J, Nakamura S, Watanabe H, Harada H, Kurabayashi T. Diagnostic abilities of 3T MRI for assessing mandibular invasion of squamous cell carcinoma in the oral cavity: comparison with 64-row multidetector CT. *Dentomaxillofac Radiol*. 48(4): 20180311, 2019.
32. Kato Y, Furusawa Y, Itai S, Takei J, Nakamura T, Sano M, Harada H, Yamada S, Kaneko MK. Establishment of an Anticetacean Podoplanin Monoclonal Antibody PMab-237 for Immunohistochemical Analysis. *Monoclon Antib Immunodiagn Immunother*. 38(3): 108-113, 2019.
33. Kato Y, Itai S, Yamada S, Suzuki H, Kaneko MK. Epitope Mapping of Anti-Diacylglycerol Kinase  $\zeta$  Monoclonal Antibody for the Detection of T Cells by Immunohistochemical Analyses. *Monoclon Antib Immunodiagn Immunother*. 38(3): 124-128, 2019.
34. Takei J, Itai S, Furusawa Y, Yamada S, Nakamura T, Sano M, Harada H, Fukui M, Kaneko MK, Kato Y. Epitope mapping of anti-tiger podoplanin monoclonal antibody PMab-231. *Monoclon Antib Immunodiagn Immunother*. 38(3): 129-132, 2019.
35. Komiya R, Wada T, Tsushima F, Sakamoto K, Ikeda T, Yamaguchi A, Harada H, Uo M. Quantitation and distribution of metallic elements in sequestra of medication-related osteonecrosis of jaw (MRONJ) using inductively coupled plasma atomic emission spectroscopy and synchrotron radiation X-ray fluorescence analysis. *J Bone Miner Metab*. 37(4): 676-684, 2019.
36. Furusawa Y, Yamada S, Nakamura T, Sano M, Sayama Y, Itai S, Takei J, Harada H, Fukui M, Kaneko MK, Kato Y. PMab-235: A monoclonal antibody for immunohistochemical analysis against goat podoplanin. *Heliyon*. 5(7): e02063, 2019.
37. Kato Y, Ohishi T, Yamada S, Itai S, Takei J, Sano M, Nakamura T, Harada H, Kawada M, Kaneko MK. Anti-Human Epidermal Growth Factor Receptor 2 Monoclonal Antibody H2Mab-41-Exerts Antitumor Activity in a Mouse Xenograft Model of Colon Cancer. *Monoclon Antib Immunodiagn Immunother*. 38(4): 157-161, 2019.
38. Takei J, Furusawa Y, Yamada S, Nakamura T, Sayama Y, Sano M, Konnai S, Kobayashi A, Harada H, Kaneko MK, Kato Y. PMab-247 Detects Bear Podoplanin in Immunohistochemical Analysis. *Monoclon Antib Immunodiagn Immunother*. 38(4): 171-174, 2019.
39. Okuyama K, Naruse T, Yutori H, Yanamoto S, Umeda M. Oral surgery in patients with antiphospholipid syndrome. *J Oral Sci*. 61(3): 386-390, 2019.
40. Takei J, Itai S, Harada H, Furusawa Y, Miwa T, Fukui M, Nakamura T, Sano M,

- Sayama Y, Yanaka M, Handa S, Hisamatsu K, Nakamura Y, Yamada S, Kaneko MK, Kato Y. Characterization of Anti-Goat Podoplanin Monoclonal Antibody PMab-235 Using Immunohistochemistry Against Goat Tissues. *Monoclon Antib Immunodiagn Immunother*. 38(5): 213-219, 2019.
41. Kato Y, Takei J, Furusawa Y, Sayama Y, Sano M, Konnai S, Kobayashi A, Harada H, Takahashi M, Suzuki H, Yamada S, Kaneko MK. Epitope Mapping of Anti-Bear Podoplanin Monoclonal Antibody PMab-247. *Monoclon Antib Immunodiagn Immunother*. 38(5): 230-233, 2019.
  42. Takei J, Yamada S, Konnai S, Ishinazaka T, Shimozuru M, Kaneko MK, Kato Y. PMab-241 Specifically Detects Bear Podoplanin of Lymphatic endothelial cells in the Lung of Brown Bear. *Monoclon Antib Immunodiagn Immunother*. 38(6): 282-284, 2019.
  43. Oikawa Y, Michi Y, Tsushima F, Tomioka H, Mochizuki Y, Kugimoto T, Osako T, Nojima H, Yokokawa M, Kashima Y, Harada H. Management of retropharyngeal lymph node metastasis in oral cancer. *Oral Oncol*. 99:104471, 2019.
  44. Homma H, Nojima H, Kaida A, Miura M. Induction of endomitosis-like event in HeLa cells following CHK1 inhibitor treatment. *Biochem Biophys Res Commun*. 520(2):492-497, 2019.
  45. Kaneko MK, Yamada S, Itai S, Chang YW, Nakamura T, Yanaka M, Harada H, Suzuki H, Kato Y. Elucidation of the TMab-6 Monoclonal Antibody Epitope against Telomerase Reverse Transcriptase. *Monoclonal Antibodies in Immunodiagnosis and Immunotherapy*. 38(3):101-103, 2019.
  46. Ishida S, Kayamori K, Sakamoto K, Yukimori A, Kugimoto T, Harada H, Ikeda T. Alpha-L-fucosidase-1 is a diagnostic marker that distinguishes mucoepidermoid carcinoma from squamous cell carcinoma. *Pathology International*. 69; 76-85, 2019.
  47. Jiaranuchart S, Kaida A, Onozato Y, Harada H, Miura M. DNA damage response following X-irradiation in oral cancer cell lines HSC3 and HSC4. *Archives of oral biology*. 90; 1-8, 2018.
  48. Furusawa W, Yamada S, Itai S, Nakamura T, Fukui M, Harada H, Kaneko MK, Kato Y. Elucidation of critical epitope of anti-rat podoplanin monoclonal antibody PMab-2. *Monoclonal Antibodies in Immunodiagnosis and Immunotherapy*. 37(4):188-193, 2018.
  49. Itai S, Yamada S, Kaneko M, Sano M, Nakamura T, Yanaka M, Handa S, Hisamatsu K, Nakamura Y, Furusawa Y, Fukui M, Ohishi T, Kawada M, Harada H, Kato Y. Podocalyxin is crucial for the growth of oral squamous cell carcinoma cell line HSC-2. *Biochemistry and Biophysics Reports*. 15; 93-96, 2018.

50. Itai S, Ohishi T, Kaneko MK, Yamada S, Abe S, Nakamura T, Yanaka M, Chang YW, Ohba SI, Nishioka Y, Kawada M, **Harada H**, Kato Y. Anti-podocalyxin antibody exerts antitumor effects via antibody-dependent cellular cytotoxicity in mouse xenograft models of oral squamous cell carcinoma. *Oncotarget*. 9(32); 22480-22497, 2018.
51. Kaneko MK, Yamada S, Itai S, Furusawa Y, Nakamura T, Yanaka M, Honda S, Hisamitsu K, Nakamura Y, Fukui M, **Harada H**, Kato Y. Epitope mapping of an anti-alpha thalassemia/mental retardation syndrome X-linked monoclonal antibody AMab-6. *Biochemistry and Biophysics Reports*. 15: 76-80, 2018.
52. Matsui T, Okada T, Kawada K, Okuda M, Ogo T, Nakajima Y, Kume Y, Ryotokuji T, Hoshino A, Tokairin Y, Michi Y, **Harada H**, Nakajima Y, Kawano T. Detection of second primary malignancies of the esophagus and hypopharynx in oral squamous cell carcinoma patients. *Laryngoscope Investig Otolaryngol*. 3(4):263-267, 2018.
53. Yamada I, Yoshino N, Hikishima K, Sakamoto J, Yokokawa M, Oikawa Y, **Harada H**, Kurabayashi T, Saida Y, Tateishi U, Yukimori A, Izumo T, Asahina S. Oral carcinoma: clinical evaluation using diffusion kurtosis imaging and its correlation with histopathologic findings. *Magnetic Resonance Imaging*. 51; 69-78, 2018.
54. Yamaga E, Toriihara A, Nakamura S, Asai S, Fujioka T, Yoshimura R, Michi Y, **Harada H**, Tateishi U. Clinical usefulness of 2-deoxy-2-[18F] fluoro-D-glucose-positron emission tomography/computed tomography for assessing early oral squamous cell carcinoma (cT1-2N0M0). *Japanese Journal of Clinical Oncology*. 48(7); 633-639, 2018.
55. Ohata Y, Kayamori K, Yukimori A, Sumikura K, Ohsako T, **Harada H**, Sakamoto K, Ikeda T. A lesion categorized between ghost cell odontogenic carcinoma and dentinogenic ghost cell tumor with CTNNB1 mutation. *Pathology International*. 68(5); 307-312, 2018.
56. Nishii N, Tachinami H, Kondo Y, Xia Y, Kashima Y, Ohno T, Nagai S, Li L, Lau W, **Harada H**, Azuma M. Systemic administration of a TLR7 agonist attenuates regulatory T cells by dendritic cell modification and overcomes resistance to PD-L1 blockade therapy. *Oncotarget*. 9(17); 13301-13312, 2018.
57. Yamada S, Kaneko MK, Itai S, Chang YW, Nakamura T, Yanaka M, Ogasawara S, Murata T, Uchida H, Tahara H, **Harada H**, Kato Y. Epitope Mapping of Monoclonal Antibody PMab-48 Against Dog Podoplanin. *Monoclonal Antibodies in Immunodiagnosis and Immunotherapy*. 37(3); 162–165, 2018.
58. Sato M, **Harada H**, Nagata C, Suzuki K. A case of Ectomesenchymal Chondromyxoid Tumor on the tongue. *Journal of Oral and Maxillofacial Surgery*,

*Medicine, and Pathology.* 30; 134-137, 2018.

59. Ngamsom S, Nakamura S, Kabasawa Y, **Harada H**, Tohyama R, Kurabayashi T. Imaging findings of intraosseous traumatic neuroma of the mandible. *Oral Radiol.* 34: 257-261, 2018.
60. Elbashti ME, Aswehlee AM, Hattori M, Sumita Y, Michi Y, Uzawa N, Yamaguchi S, **Harada H**, Taniguchi H. Surgeons' awarenessss of the considerations for prosthetic rehabilitation in maxillectomy patients. *日本顎顔面補綴学会誌.* 40(2); 12-20, 2017.
61. Takemoto T, Kabasawa Y, Higuchi Y, Tabata Y, Aoki K, Tamura Y, **Harada H**. Combination of the RANKL-binding peptide W9 and bFGF induces ectopic bone regeneration in the rat calvarial defect mode Dental. *Oral and Craniofacial Research.* 4(3); 2-7, 2017.
62. Yamada S, Itai S, Nakamura T, Chang YW, **Harada H**, Suzuki H, Kaneko MK, Kato Y. Establishment of H2Mab-119, an Anti-Human Epidermal Growth Factor Receptor 2 Monoclonal Antibody, Against Pancreatic Cancer. *Monoclonal Antibodies in Immunodiagnosis and Immunotherapy.* 36(6); 287-29, 2017.
63. Itai S, Yamada S, Kaneko MK, Chang YW, **Harada H**, Kato Y. Establishment of EMab-134, a sensitive and specific anti-epidermal growth factor receptor monoclonal antibody for detecting squamous cell carcinoma cells of the oral cavity. *Monoclonal Antibodies in Immunodiagnosis and Immunotherapy.* 36(6); 272-281, 2017.
64. Itai S, Yamada S, Kaneko MK, **Harada H**, Kagawa Y, Konnai S, Kato Y. Expression of cat podoplanin in feline squamous cell carcinomas. *Monoclonal Antibodies in Immunodiagnosis and Immunotherapy.* 36(6); 243-250, 2017.
65. Ohata Y, Tatsuzawa A, Ohyama Y, Ichikawa A, Mochizuki Y, Ishibashi S, Itakura Y, Sakamoto K, Ikeda T, Kitagawa M, Yamamoto K. A distinctive subgroup of oral EBV+ B-cell neoplasm with polymorphous features is potentially identical to EBV+ mucocutaneous ulcer. *Human Pathology.* 69; 129-139, 2017.
66. Yamagata Y, Tomioka H, Sakamoto K, Sato K, **Harada H**, Ikeda T, Kayamori K. CD163-Positive Macrophages Within the Tumor Stroma Are Associated With Lymphangiogenesis and Lymph Node Metastasis in Oral Squamous Cell Carcinoma. *J Oral Maxillofac Surg.* 75(10); 2144-2153, 2017.
67. Itai S, Fujii Y, Nakamura T, Chang YW, Yanaka M, Saidoh N, Handa S, Suzuki H, **Harada H**, Yamada S, Kaneko MK, Kato Y. Establishment of CMab-43, a Sensitive and Specific Anti-CD133 Monoclonal Antibody, for Immunohistochemistry.

*Monoclonal Antibodies in Immunodiagnosis and Immunotherapy.* 36(5); 231-235, 2017.

68. Yamada S, Itai S, Nakamura T, Yanaka M, Saidoh N, Chang YW, Handa S, Harada H, Kagawa Y, Ichii O, Konnai S, Kaneko MK, Kato Y. PMab-52: Specific and Sensitive Monoclonal Antibody Against Cat Podoplanin for Immunohistochemistry. *Monoclonal Antibodies in Immunodiagnosis and Immunotherapy.* 36(5); 224-230, 2017.
69. Itai S, Yamada S, Kaneko MK, Harada H, Kato Y. Immunohistochemical Analysis Using Antipodocalyxin Monoclonal Antibody Pcmab-47 Demonstrates Podocalyxin Expression in Oral Squamous Cell Carcinomas. *Monoclonal Antibodies in Immunodiagnosis and Immunotherapy.* 36(5); 220-223, 2017.
70. Itai S, Kaneko MK, Fujii Y, Yamada S, Nakamura T, Yanaka M, Saidoh N, Handa S, Chang YW, Suzuki H, Harada H, Kato Y. Development of EMab-51, a Sensitive and Specific Anti-EGFR Monoclonal Antibody in Western Blot and Immunohistochemistry. *Monoclonal Antibodies in Immunodiagnosis and Immunotherapy.* 36(5); 214-219, 2017.
71. Takahara N, Nakagawa S, Sumikura K, Kabasawa Y, Sakamoto I, Harada H. Association of TMJ pain according to magnetic resonance imaging findings in TMD patients. *J Oral Maxillofac Surg.* 75(9); 1848-1855, 2017.
72. Hirai H, Tomioka H, Mochizuki Y, Oikawa Y, Tsushima F, Harada H. Clinical Course of Oral Squamous Cell Carcinoma in Patients on Immunosuppressant and Glucocorticoid Therapy. *J Oral Maxillofac Surg.* 75(9); 1980-1986, 2017.
73. Itai S, Fujii Y, Kaneko MK, Yamada S, Nakamura T, Yanaka M, Saidoh N, Chang YW, Handa S, Takahashi M, Suzuki H, Harada H, Kato Y. H2Mab-77 is a sensitive and specific anti-HER2 monoclonal antibody against breast cancer. *Monoclonal Antibodies in Immunodiagnosis and Immunotherapy.* 36(4); 143-148, 2017.
74. Shimamoto H, Oikawa Y, Osako T, Hirai H, Mochizuki Y, Tanaka K, Tomioka H, Harada H. Neck failure after elective neck dissection in patients with oral squamous cell carcinoma. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 124(1); 32-36, 2017.
75. Mochizuki Y, Harada H, Shimamoto H, Tomioka H, Hirai H. Multiple Free Flap Reconstructions of Head and Neck Defects Due to Oral Cancer. *Plast Reconstr Surg Glob Open.* 13;5(6):e1337, 2017.
76. Takahara N, Kabasawa Y, Sato M, Tetsumura A, Kurabayashi T, Omura K. MRI changes in the temporomandibular joint following mandibular setback surgery using sagittal split ramus osteotomy with rigid fixation. *Cranio.* 35: 38-45, 2017.
77. Yukimori A, Oikawa Y, Morita K, Nguyen CT, Harada H, Yamaguchi S, Kayamori

- K, Yamaguchi A, Ikeda T, Sakamoto K. Genetic basis of calcifying cystic odontogenic tumors. *PLoS ONE*. 12(6); e0180224, 2017.
78. Onozato Y, Kaida A, **Harada H**, Miura M. Radiosensitivity of quiescent and proliferating cells grown as multicellular tumor spheroids. *Cancer Science*. 108; 704-712, 2017.
79. Nguyen CT, Okamura T, Morita K, Yamaguchi S, **Harada H**, Miki Y, Izumo T, Kayamori K, Yamaguchi A, Sakamoto K. LAMC2 is a predictive marker for the malignant progression of leukoplakia. *Journal of Oral Pathology and Medicine*. 46(3); 223-231, 2017.
80. Lam PD, Kuribayashi A, Sakamoto J, Nakamura S, **Harada H**, Kurabayashi T. Imaging findings of childhood B-cell lymphoblastic lymphoma in the mental region: a case report. *Dentomaxillofacial Radiology*. 46(3); 20160313, 2017.
81. Oikawa Y, Morita K, Kayamori K, Tanimoto K, Sakamoto K, Katoh H, Ishikawa S, Inazawa J, **Harada H**. Receptor tyrosine kinase amplification is predictive of distant metastasis in patients with oral squamous cell carcinoma. *Cancer Science*. 108; 256-266, 2017.
82. Kaneko MK, Nakamura T, Honma R, Ogasawara S, Fujii Y, Abe S, Takagi M, **Harada H**, Suzuki H, Nishioka Y, Kato Y. Development and characterization of anti-glycopeptide monoclonal antibodies against human podoplanin using glycan-deficient cell lines generated by CRISPR/Cas and TALEN. *Cancer Medicine*. 6(2):382-396, 2017.
83. Kaneko MK, Kunita A, Yamada S, Nakamura T, Miyuki Yanaka, Saidoh N, Chang YW, Handa S, Ogasawara S, Ohishi T, Abe S, Itai S, **Harada H**, Kawada M, Nishioka Y, Fukayama M, Kato Y. Anti-Podocalyxin Antibody chPcMab-47 Exerts Antitumor Activity in Mouse Xenograft Models of Colorectal Adenocarcinomas. *Monoclon. Antib. Immunodiagn. Immunother.* 36(4):157-162, 2017.
84. Mochizuki Y, Tomioka H, Tsushima F, Shimamoto H, Hirain H, Oikawa Y, **Harada H**. Clinical evaluation of the coverage of open wounds in oral surgical field with a polyglycolic acid sheet and a fibrin glue spray and coverage with split thickness skin graft. *Annals of Maxilofac Surg* 6(2):228-234, 2016.
85. Nguyen CTK., Okamura T., Morita K., Yamaguchi S., **Harada H**., Miki Y., Izumo T., Kayamori K., Yamaguchi A., Sakamoto K. LAMC2 is a predictive marker for the malignant progression of leukoplakia. *J Oral Pathol Med*. 46(3):223-231, 2016.
86. Abe S., Yamaguchi S., Sato Y., **Harada K**. Sphere-derived multipotent progenitor cells obtained from human oral mucosa are enriched in neural crest cells. *Stem cells translational medicine*. 5:117-128, 2016.

87. Yoshida C., Yamaguchi S., Abe S., Harada K., Property of Human Bone Marrow Stromal Cells Derived From Bone Fragments Removed in Sagittal Split Ramus Osteotomy. *J Craniofac. Surg.* 27(4):1104-1109, 2016.
88. Terauchi M, Inada T, Tonegawa A, Tamura A, Yamaguchi S, Harada K, Yui N. Supramolecular inclusion complexation of simvastatin with methylated  $\beta$ -cyclodextrins for promoting osteogenic differentiation. *Int. J. Biol. Macromol.* 12; 93(PtB); 1492-1498, 2016.
89. Morita T, Uzawa N, Mogushi K, Sumino J, Michikawa C, Takahashi K, Myo K, Izumo T, Harada K. Characterizing Genetic Transitions of Copy Number Alterations and Allelic Imbalances in Oral Tongue Carcinoma Metastasis. *Genes Chromosomes Cancer.* 12; 55; 975-986, 2016.
90. Wake S, Yoshitake H, Kayamori K, Izumo T, Harada K. Expression of CD90 decreases with progression of synovial chondromatosis in the temporomandibular joint. *Cranio.* 34(4); 250-256, 2016.
91. Yoshitake H, Kayamori K, Wake S, Sato F, Kino K,Harada K. Synovial chondromatosis of the right side temporomandibular joint extending to the middle cranial fossa: A case report with 7-year postoperative follow up and expression of a biomarker of cell proliferative activity. *Anat Rec (Hoboken)*. 06; 20; 133-137, 2016.
92. Okuyama K, Michi Y, Mizutani M, Yamashiro M, Kaida A, Harada K. Clinical study on mandibular fracture after marginal resection of the mandible. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 121(5); 461-467, 2016.
93. Kayamori K, Katsume K, Sakamoto K, Ohyama Y, Hirai H, Yukimori A, Ohata Y, Akashi T, Saitoh M, Harada K, Harada H, Yamaguchi A. NOTCH3 Is Induced in Cancer-Associated Fibroblasts and Promotes Angiogenesis in Oral Squamous Cell Carcinoma. *PLoS One.* 11(4); e0154112, 2016.
94. Morita T, Yamashiro M, Kayamori K, Mizutani M, Nakakuki K, Michi Y, Uzawa N, Izumo T, Harada K. Primary intraosseous squamous cell carcinoma derived from a maxillary cyst: A case report and literature review. *Mol Clin Oncol.* 4(4); 553-558, 2016.
95. Matsushita Y, Nakakuki K, Kosugi M, Kurohara K, Harada K. Does Intraoral miniplate fixation have a good postoperative stability after sagittal splitting ramus osteotomy?: Comparison with intraoral bicortical screw fixation. *Journal of Oral and Maxillofacial Surgery.* 74; 181-189, 2016.
96. Kondo Y, Ohno T, Nishii N, Harada K, Yagita H, Azuma M. Differential contribution of three immune checkpoint (VISTA, CTLA-4, PD-1) pathways to antitumor responses against squamous cell carcinoma. *Oral Oncology.* 57; 54-60,

2016.

97. Okamura T, Izumo T, Yagishita H, Mori T, Sakamoto K, **Harada K**. Disorderd arrangements of basal cells as a prognostic factor for oral epithelial dysplasia : a morphometric study of 96 cases. *Oral Surg Oral Med Oral Pathol Oral Radiol*. 122(3):355-361, 2016.
98. Oda S, Nozawa T, Nozawa-Minowa A, Tanaka M, Aikawa C, **Harada H**, Nakagawa I. Golgi-Resident GTPase Rab30 Promotes the Biogenesis of Pathogen-Containing Autophagosomes. *PLoS One*. 11(1):e0147061, 2016.
99. Kohmoto T, Tsuji A, Morita K, Naruto T, Masuda K, Kashimada K, Enomoto K, Morio T, **Harada H**, Imoto I. A novel COL11A1 missense mutation in siblings with non-ocular Stickler syndrome. *Hum Genome Var*. 3:16003, 2016.
100. Kudoh M, Omura K, Satsukawa A, Matsumoto K, Taguchi T, **Harada H**, Ishii Y. Symmetric Lipomatosis Arising in the Tongue Presenting as Macroglossia and Articulatory Disorder. *Case Rep Otolaryngol*. 2016:2061649, 2016.
101. Dilruba Aktar, Tomioka H, Hirai H, Oikawa Y, Mochizuki Y, Shimamoto H and **Harada H**. Value of real-time tissue elastography for squamous cell carcinoma of the tongue. *Dental, Oral and Craniofacial Research* 2(6):371-375, 2016.